



CENTRAL FORENSIC SCIENCE LABORATORY
Directorate of Forensic Science Services,
Ministry of Home Affairs, Government of India,
Gat No. 6, Nanoli Tarfe Chakan, Near JCB Company, Talegaon MIDC,
Taluka - Maval, Pune, Maharashtra - 410507
E-mail: cfslpune-dfss@gov.in


No:1(57)/CFSL(P)/PsychologyDivision/2022/1035

Date:10.03.2022

Expression of Interest

Subject: Finalization of Specifications for BEOS regd.

Central Forensic Science Laboratory, Pune under Directorate of Forensic Science Services, Ministry of Home Affairs, Government of India, intends to procure Brain Electrical Oscillation Signature Profiling System (BEOS) for establishment of Forensic Psychology Division. Accordingly broad-based specifications of BEOS are uploaded for inviting expression of interest from the prospective vendors. The comments may be sent to this office latest by 31st March 2022.



S. Law
11/3/22
Director

CFSL, Pune

निदेशक एवं वैज्ञानिक 'E'
Director & Scientist 'E'

केन्द्रीय न्यायवैज्ञानिक विद्यालय प्रयोगशाला
Central Forensic Science Laboratory
डी.ए.ए. रोड, पुणे मंत्रालय, भारत सरकार, पुणे
BFSS, MHA, Govt of India, Pune

BRAIN ELECTRICAL OSCILLATION SIGNATURE PROFILING SYSTEM

Technical Specifications

A comprehensive Brain Electrical Oscillation Signature Profiling (BEOS) system that can detect Experiential Knowledge in a subject by analyzing the brain Electrical activity recorded from the scalp of the head from at least 30 sensors, and its response to specific stimuli that invoke / probe certain autobiographic memories.

I. Mandatory Features

- a) The system should be built for use in a Forensic / Suspect Screening environment, including automated reports, data security and case management.
- b) The system should have demonstrable single trail analysis, processing beyond the basic Concealed Information Test / Guilt Knowledge Test
- c) The system and software should be specialized for suspect screening examination and use at least 30 channels of EEG data for recording and data analysis. The system should record and report real time eye movement and ECG in the recording charts.
- d) The system should mandatorily and automatically differentiate and report cognitive processes such as primary processing, encoding, artifacts, presence of sensory – motor imageries etc.
- e) The system should present stimuli as auditory probes, and the probes should be presented only when the baseline activity is stable and acceptable – it should be possible to set the parameters for at least 4 frequency bands (delta, theta, alpha, beta) before presenting a probe.
- f) It should be possible to present auditory probe in any language.
- g) It should be possible to use the system on illiterate people who cannot read and write.
- h) The system should perform auto analysis and reporting of BEOS data and cognitive processing.
- i) The system should support online display of captured data – Online stacked FFT, Online Spectral Brain maps.
- j) The system should have pre – selectable paradigms for Eyes Open / Eyes Closed / Baseline and BEOS data recording.
- k) The system should be able to record audio probes trim the audio probes, and playback audio probes and images. It should have inbuilt real time presentation of audio probes

- time-locked to BEOS data, and present the BEOS data while playing back the audio sentence or video displays.
- l) The system should provide dual time locked video recording, for a clear front view and side view of the subject. The video data should be time locked to the BEOS recording, and should be accessible while viewing the BEOS data.
 - m) The system should automatically report all responses, and for significant responses separately, without manual selection.
 - n) The system should auto generate reports without manual interference or analysis.
 - o) The system should be able to record and maintain cases, image, audio sentences, and tie them together in the form of a case, subject and recording

2. Basic Acquisition and Analysis Features

- (1) Online capture and display of bioelectric activity from at least 30 cephalic channels, and 1 EOGh, 1 EOGv (eye movement), 1 EMG, 1 ECG and 2 or bipolar channels.
- (2) Online Display of images, audio sentences
- (3) Automated conversion of continuous bioelectric activity into epochs
- (4) Simultaneous display of probes and activation waveform
- (5) View visual probes and Play audio probes
- (6) Automated analysis, detection and reporting of Inattention in subject
- (7) Automated frequency based analysis and other analysis
- (8) Auto formatting of baseline activity for each probe
- (9) Auto frequency setting for analysis
- (10) Auto computing and identifying artifacts in the activity produced by each probe
- (11) Auto computing profiles for processing the presence of Experiential Knowledge
- (12) Automated Forensic Report generation with indication of presence/absence of Experiential Knowledge related to each probe
- (13) Auto comparison of brain activity, the autonomic measure and their interpretation
- (14) Auto detection of various types of activation response types
- (15) The text of the audio presented should be a part of the data file generated and non-editable

3. Probe Recording and Presentation System:

- (1) Have inbuilt image and Audio Stimulus Program
- (2) Presentation System should control the Probe (image, audio) playback and timing
- (3) Probe management system with the ability to setup scenarios (collection of probes) subjects and cases
- (4) Image, Audio probe editing software
- (5) Auto locking of probes to the electrical activity captured from the brain
- (6) High quality auditory presentation hardware
- (7) Automatic control of probe presentation by monitoring and sensing the baseline stability of the bioelectrical activity
- (8) Dual monitors for display of probes to the subject and monitoring by the investigator
- (9) Real time probe monitoring

4. Case Management Software:

- (1) For the management of cases already investigated, scheduled with details of their probes, etc
- (2) All Case details (Opened, Pending, Closed Cases Management)
- (3) Last Accessed Cases
- (4) Comparison of Subjects under Case
- (5) Subject Photo and Details capture and storage

5. Hardware Specifications

Signal Processing hardware capable of capturing data for BEOS

1. At least 30 Cephalic Channels
2. EOGv, 1 EOGh channel
3. Real time Impedance Map
4. Self-calibrating system
5. Built in channels: 1 ECG, 1 EMG channels
6. Adhesive ECG/EMG electrodes

7. ECG/EMG cable connector jig

8: ECG/EMG cable connectors

9. SPU should have a on board LED display to indicate amplifier status

10. Head box to connect an Electrode Head Cap, and autonomic channels

11. Headgear as applicable

12. High definition USB camera with 30 frames per second - One for the subject front view with Real time recording, time-locked with BEOS data

13. System should have the ability to view the Brain Signature Profiling electrical activity and Video time locked in real time, and in the offline mode

6. Computers: intel i7 or better processor, RAM 16 GB, 1 TB SSD with windows 10 or better

7. BEOS PROFILING PORTABLE SYSTEM –

BEOS Portable version with Demo kit and hardware

8.a All software with specifications latest version

8.b Portable Laptop / Workstation with Carry case

8.c Portable USB Monitor with Carry case

8.d Portable Signal Processing Unit with Carry case

8.e Accessories including sensors and cables

8.f Portable USB Camera and Speakers

8. Supply: To all CFSLs under DFSS, New Delhi

9. TRAINING

To provide training to at least 05 scientists from each lab after installation for 05 days by covering following areas -

a) Validation Studies

b) Principles of electrophysiology: basics and quantification procedures, recording procedure, maintenance of electrodes, etc.

c) Basics of Neuropsychology of cognition

- d) Brain mechanisms, Neuroanatomy and neurophysiology and functional circuits
- e) Principles of forensic psychology, forensic investigations, recreating crime scenarios, interrogation and interview techniques, psychological testing, Narcoanalysis, polygraph - lie detection techniques.
- f) Computer applications in electrophysiology
- g) Principles of electrophysiology: level 2: quantification of electrical activities of the brain
 - Bioelectrical activity - electroencephalography, evoked potentials, event related.
 - potentials, activity associated with cognitive processing in the brain vis., attention.
 - signal detection, middle latency potentials, P300, Mismatch Negativity, N400,
 - Contingent Negative Variation, Bereitschaftspotential, Semantic processing, EEG
 - Changes during thinking, visual imagery, etc., testing hearing thresholds, visual acuity,
 - Visual analysis of electrical activity, artifact detection
- h) Principles of Designing Probes -
 - Different scenarios and episodes,
 - Sequencing of probes
- i) Principles of BEOS/Brain Signature Profiling
- j) Report Writing.

10. Warranty for the equipment -

- i) At least 1 warranty against all manufacturing defects
- ii) AMC charges for 05 years after warranty be quoted also
- iii) Spare / accessories be available for next 7 years